



Summary of the Clinical Research on The NLP Trauma Cure

Extracts from Research and Recognition Project Website, Grant Application PDF: 'Proposal to Fund a Breakthrough PSD Treatment for New York State'.

<http://researchandrecognition.com/pdf/2019/NY2milJan9.pdf>

Original Articles from research can be found online here: <http://researchandrecognition.com/articles.html>

The NLP Trauma Cure, also known as Reconsolidation of Traumatic Memories (RTM), is a clinical breakthrough in recovery from PTSD. It is a cognitive reframing of memories which gives the brain a chance to reconsolidate the memory of the trauma which causes PTSD symptoms. The treatment can, in 5 hours, re-set the memories in a way that the fight or flight responses are separated from the original trauma memory.

Notably the treatment:

- Causes no discomfort
- Does not involve drugs or costly equipment
- Requires 5 hours or less duration of treatment

The RTM treatment protocol has been tested four times under strict scientific standards in the US in a series of military studies. Over 90% of the 160 veterans who took part in the trials who had been clinically diagnosed with Post Traumatic Stress Disorder (PTSD) completely eliminated their PTSD symptoms including their nightmares, flashbacks and related emotional responses.

Details of the Individual Studies:

1. Pilot Study: Journal of Military, Veteran, and Family Health. 25 of 26 (96%) no longer test as having PTSD. (Grat and Bourke, 2015)
2. First Replication Study. 28 of 30 (94%) no longer test as having PTSD. (Tylee, Gray et alia, 2016a)
3. Second Replication Study (women). 29 of 30 (96%) no longer test as having PTSD. (Tylee, Gray et alia, 2016b)
4. Third Replication Study. 68 of 75 (90%) no longer test as having PTSD. (Steenkamp, Litz et alia, 2016)

The table below shows the method in comparison to other methods used with PTSD.

Note that:

- No other method has a complete removal of PTSD symptoms
- All other methods require longer duration of treatment
- This is the only method that does not risk retraumatisation as a side effect


call: +61 8 9467 2637

email: support@theneurocoaching.academy

Protocol Description	Treatment Duration	Cost Factors	Side Effects	Clinical Efficacy
Reconsolidation of Traumatic Memories (RTM)	3-5 hours	Less than \$500/patient by a certified RTM	none	90% effective in completely removing PTSD symptoms
Prolonged Exposure Therapy (PE)	15-18 hours		Retraumatization@ high dropout rates (28-40%)	35% remission of diagnosis and some symptom reduction for 50% treated
Cognitive Processing Therapy (CPT)	7 sessions		Retraumatization, group exposure	35% remission of diagnosis and some symptom reduction for 50% treated
Eye Movement Desensitization & Reprocessing (EMDR)	7-12 sessions		Retraumatization	35% remission of diagnosis and some symptom reduction for 50% treated


Over Time

Three Research studies with data from baseline, 2 weeks after, 6 weeks after, 6 months after



call: +61 8 9467 2637
email: support@theneurocoaching.academy

The Graph below is a sample of the initial pilot results of the neurological study submitted by Dr. Lewine to the Biological Psychiatry Journal. The dark reds and blues in the left row Pre RTM-Treatment scans are indicative of PTSD abnormality. They have completely disappeared in the Post Treatment scans measured five days after treatment. Light turquoise colour is within normal limits. Dark reds and blues indicate deviations from normality. The research is being conducted in Dr Jeff Lewine's laboratory associated with the U. of New Mexico.



How was this Research Funded:

In the United States the Research and Recognition Project received grants totalling \$1.1 M from NYS to support validation studies. An additional \$400 K was received from a number of sources, including the Blue Angels Foundation, Allstate, United Way, the American Legion, various Rotary clubs and NASBP Insurance. An additional \$3.5 M in time and money donated by Project staff over the last ten years.

Would you like to learn this method to use in your professional practice?

The method discussed in this document is presented in the Resilience Training and contained in the Participant Training Manual. The method has shown a 90% + full recovery rate for PTSD across 4 clinical trials to date.

You Do NOT need to be a clinical practitioner to use this method. You do need to be Psychiatrist to diagnose PTSD, however the NLP approach to helping people does not involve or require a diagnosis.

If you are a Counsellor, Coach, or similarly qualified in a helping profession and you are working with people who have experienced a Trauma, please contact us about the Resilience Masterclass as a pathway for learning this process. You do not need to be a Psychiatrist, or an NLP Practitioner to attend the training.

call: +61 8 9467 2637
email: support@theneurocoaching.academy